



Broomate

Professional Cleaning Solutions

Broomate®

This is how you sweep today!

At production facilities, there are a lot of areas that need to be cleaned continually. Osborn has developed a sweep solution that meets this need - that is simple, professional and affordable. Our broom is made of high quality strip brushes that are inserted under a galvanized steel hood having a thickness of 5 mm.

The Osborn Broomate® can be attached to a whole range of industrial vehicles and cleans up all kinds of dirt, including liquids. There are no rotating or electrical parts. Just attach the broom to your vehicle - done!



Low Maintenance

- No hydraulics, motors, or electrical parts.
- Easy cleaning with water or steam.
- Brush strips can be replaced in seconds.

Durable & Long-Lasting

- Robust 5 mm galvanized steel construction.
- Protective end shields for extra durability.
- Brush strips last up to 800 km.

Safe & User-Friendly

- No rotating parts, chains, or motors.
- Simple and quick mounting process.
- Storage frame prevents brush deformation.

Versatile & Efficient

- Effective for heavy debris like gravel, sand, slurry, snow, and liquids.
- Bi-directional sweeping – forward and reverse.
- Compatible with various vehicles using optional adapters.


Environmentally Friendly

- No fuel, oil, or electricity required.
- No noise or dust emissions.
- Fully recyclable components.




For further information:

Scan the QR code and watch the product video on Youtube.



Appearance can vary from picture depending on variant.



FW: Fork Width FH: Fork Height

EUMBSS006 | PERFECT ★★☆☆☆


ECOMate®

Cleaning solution for production plants, farming, recycling, biogas and waste plants, municipalities. No rotating or electrical components, can be mounted on many vehicles.

- Maintenance free and cost effective cleaning solution
- Variable Mounting on almost any vehicle using optional adapters
- Environmentally friendly as no oil, fuel or electric consumption is needed
- Light version with 3 mm galvanized steel hood and fork-shoes and protective end-shield
- Storage support legs


Application: In production facilities, agricultural premises or recycling and wastemanagement sites there are a lot of areas which need to be kept clean at any time.

Please note: Various mounts for other vehicles on request.




Accessories available: Broomate® Brushes Recharge Kit. More on page 6

A	Name	T	H	L	BW	BL	Adapt.	FW	FH	FS		Item Number
1,200	Minimate	265	480	1,175	1,235	625	Forklift	170	75	655	1	● 0044APR120
1,820	Midimate	265	480	1,175	1,835	625	Forklift	170	75	655	1	● 0044APR180
2,400	Maximate	265	480	1,175	2,410	625	Forklift	170	75	655	1	● 0044APR240
2,980	Megamate	265	480	1,175	2,990	625	Forklift	170	75	655	1	● 0044APR300



Appearance can vary from picture depending on variant.



FW: Fork Width FH: Fork Height

EUMBSS007 | SUPERIOR ★★★★★

Broomate®

Professional cleaning solution for production plants, farming, recycling, biogas and waste plants, municipalities. No rotating or electrical components, can be mounted on many vehicles.

- Maintenance free and cost effective cleaning solution
- Variable Mounting on almost any vehicle using optional adapters
- Environmentally friendly as no oil, fuel or electric consumption is needed
- 5 mm galvanized steel hood and fork-shoes and protective end-shield
- Storage support legs

Application: In production facilities, agricultural premises or recycling and wastemanagement sites there are a lot of areas which need to be kept clean at any time.

Please note: Various mounts for other vehicles on request.



Accessories available: Broomate® Brushes Recharge Kit. More on page 6


A	Name	T	H	L	BW	BL	Adapt.	FW	FH	FS		Item Number
1,200	Minimate	265	480	1,175	1,235	625	Forklift	170	75	655	1	● 0004APR120
1,820	Midimate	265	480	1,175	1,835	625	Forklift	170	75	655	1	● 0004APR180
1,820	Midimate	265	535	1,175	1,835	625	Forklift & Euro frame	170	75	730	1	● 0024APR180
2,400	Maximate	265	480	1,175	2,410	625	Forklift	170	75	655	1	● 0004APR240
2,400	Maximate	265	535	1,175	2,410	625	Forklift & Euro frame	170	75	730	1	● 0024APR240
2,980	Megamate	265	480	1,175	2,990	625	Forklift	170	75	655	1	● 0004APR300
2,980	Megamate	265	535	1,175	2,990	625	Forklift & Euro frame	170	75	730	1	● 0024APR300

EUMBSS009 | SUPERIOR ★★★★★☆


Broomate® Brushes Recharge Kit

Recharge Kit for Broomate®

- Simply reorder process - one item number include the full set of strip brushes
- Replacement Kits suit for Broomate® as well as for Ecomate®
- Strips last up to 800 km



Appearance can vary from picture depending on variant.



- 0004APR412** To replace the brushes of a Minimate
- 0004APR418** To replace the brushes of a Midimate
- 0004APR424** To replace the brushes of a Maximate
- 0004APR430** To replace the brushes of a Megamate

A	Rows	Fill Material		Item Number
1,200	8	Polypropylene	1	● 0004APR412
1,820	11	Polypropylene	1	● 0004APR418
2,400	11	Polypropylene	1	● 0004APR424
2,980	11	Polypropylene	1	● 0004APR430

Finish. First.

The Global Leader in Surface Treatment Solutions and Finishing Tools

Osborn GmbH
Ringstraße 10
35099 Burgwald
Germany

Phone: +49 (0)6451 588-0
Fax: +49 (0)6451 588-206
info@osborn.de

www.osborn.com

General

The tools shown in this catalogue, and the information on delivery scopes, appearances, performances and dimensions, correspond to information available at the time of print. We are enhancing our products continually. We reserve the right to make changes to products and prices.

In the event prices are printed in the catalogue, all previous price lists are rendered void on publication of this catalogue. All prices are recommended retail prices in Euro per piece. VAT, packaging, transport/postal charges and insurance are extra. Our general terms and conditions apply for all orders.



osborn.com