

LS50009 LIQUID COMPOUND

SAFETY DATA SHEET

Page 1 of 3

PRINTED: 2015-01-23 REVISED: 9/25/2020

Section 1 CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Identification:Product Name:L\$50009Recommended use:PolishingManufacturer:Osborn

3440 Symmes Road Hamilton, OH 45015 Telephone: 513-860-3400

Emergency telephone: ChemTrec (24hr) 800-424-9300

Section 2 HAZARDS IDENTIFICATION

Hazard Classification: Irritant Hazard Pictogram:

WARNING: Dust produced in use may temporarily

irritate eyes, skin, and respiratory system.

Hazard Classifications:

NFPA HAZARD RATING:	Fire: (1, minimal)	Health: (2, slight)	Reactivity: (1, minimal)
GHS HAZARDS:	Fire: (5, minimal)	Health: (4, slight)	Reactivity: (5, minimal)

National Fire Protection Association (NFPA) Ratings: This information is intended solely for the use of

individuals trained in the NFPA system.

Hazard phrases:

H316, H320, H335: Dust produced during use may cause mild irritation of skin, eyes, and respiratory tract.

Precautionary Phrases:

P102: Keep out of reach of children.

P261: Avoid breathing dust, may cause respiratory tract irritation

P264: Wash thoroughly after handling. Avoid skin irritation by wearing protective gloves. If needed wear eye protection and dust mask.

Emergency Overview: Dust generated in use may cause temporary irritation to skin, eyes, nose, and respiratory tract. Exposure should be minimized.

Section 3	COMPOSITION / INFORMATION ON INGREDIENTS			
CHEMICAL NAME	CAS Number	EC Number	% Range	
Aluminum oxide, non-fibrous	1344-28-1	215-691-6	20-40	
Water	7732-18-5	231-791-2	40-60	
Kaolin clay	1332-58-7	310-194-1	5-15	
Tallow derivatives	Proprietary	Proprietary	5-15	
Petroleum products	Proprietary	Proprietary	0-5	

Section 4 FIRST AID MEASURES

General: Remove contaminated clothing.

Inhalation: If excessive dust is inhaled, remove to fresh air. Seek medical attention if breathing

difficulties persist.

Eye Contact: Check for and remove any contact lenses. Flush eyes with large amounts of water, cold water may be used. Seek medical attention if vision difficulties occur.

Skin Contact: Wash contaminated skin with soapy water. Remove contaminated clothing and shoes. Wash clothing and shoes before reuse.

Ingestion: Immediately rinse mouth and drink plenty of water. DO NOT INDUCE VOMITING unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.



LS50009 LIQUID COMPOUND

SAFETY DATA SHEET

Page 2 of 3

PRINTED: 2015-01-23 REVISED: 9/25/2020

Ingestion of small quantities is not expected to produce symptoms. If large quantities are swallowed, obtain medical help.

Section 5 FIRE FIGHTING MEASURES

Flash Point & Method: over 370°F (estimated).

Fire Fighting Instructions: Water-based, not flammable in liquid state.

Fire Fighting Equipment: Use self-contained breathing apparatus and turn-out gear.

Hazards during fire-fighting: Heat may produce steam which can cause burns.

Section 6 ACCIDENTAL RELEASE MEASURES

Emergency Action: Isolate spill or leak area immediately.

May make floor slippery while wet. If material cannot be recovered, transfer to waste container for disposal in local landfill, complying with local, state and federal regulations.

Clean up residues with water.

Section 7 HANDLING AND STORAGE

Handling: Wear protective gloves if skin irritation is experienced. Wash hands before eating. Avoid breathing

dust produced in use.

Storage: Store at room temperature. Avoid freezing and excessive heat.

Section 8	EXPOSURE CONTROL / PERSONAL PROTECTION				
	CAS Number	EC Number	OSHA PEL	ACGIH TLV	
Aluminum oxide, non- fibrous	1344-28-1	215-691-6	15 mg/m 3 TWA	10 mg/m 3 TWA	
Petroleum products	Proprietary	Proprietary	5 mg/m 3 TWA	5 mg/m 3 TWA	

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep dust levels

below occupational exposure limits. See section 2 for component exposure guidelines. Local exhaust

ventilation is acceptable.

Respirator: Use a NIOSH-certified dust mask or equivalent.

Hand Protection: Wear gloves.

Eye Protection: Protective eye-wear should be used in dusty environment.

Other Recommendations: Wear protective clothing such as long sleeves. Wash hands after handling.

Section 9 PHYSICAL AND CHEMICAL PROPERTIES					
Density	approxima	ately 1.5 g/cm3 (25° C / 77° F)			
рН	9.5 – 10.5		Physical State	Liquid	
Boiling Point	approximately 212°F / 100°C		Solubility in water		Dispersible
Freeze Point	approxima	ately 32°F / 0°C	Appearance Off-white creamy liquid		ny liquid
Vapor Density (Air=1)	No data available	Odor	Mildly chemical	

Section 10 STABILITY AND REACTIVITY

General: Stable

Incompatible Materials and Conditions to Avoid: Strong oxidizing agents

Hazardous Polymerization: Will not occur.

Section 11 TOXICOLOGY INFORMATION

No information available on Acute or Chronic ingestion or inhalation toxicity.

No ingredients present above 0.1% which are carcinogenic according to NTP, IARC, or OSHA findings.

Section 12 ECOLOGICAL INFORMATION

All ingredients are inert in the environment, or biodegrade to non-hazardous compounds.



LS50009 LIQUID COMPOUND

SAFETY DATA SHEET

Page 3 of 3

PRINTED: 2015-01-23 REVISED: 9/25/2020

Section 13 DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 Classifications: not classified as hazardous.

Federal, State, and Local laws governing disposal of material can differ. May be disposed in local landfill in compliance with proper authorities.

Section 14 TRANSPORTATION INFORMATION

NON-HAZARDOUS MATERIAL; Not regulated for transportation under US DOT, IATA, ICAO, IMDG, Canadian TDG Regulations, or EU ADR.

Section 15 REGULATORY INFORMATION

US Federal Regulations: SDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

- CERCLA/Superfund, 40 CFR 117, 302: None of the chemicals are CERCLA hazards
- SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311, 312 and 313:
- Section 302 None of the chemicals are extremely hazardous substances (40 CFR 355).
- Section 311/312 Material Safety Data Sheet Requirements (40 CFR 370): By our hazard evaluation, this product may be an eye and skin irritant.
- Section 313 List of Toxic Chemicals (40CFC 372): This product contains no chemicals (at level of 1% or greater) that are found on the 313 list of Toxic Chemicals.
- Toxic Substance Control Act (TSCA): All substances are TSCA listed.
- Resource Conservation and Recovery Act (RCRA 40 CFR 261) Subpart C & D: Refer to Section 13.

STATE REGULATIONS:

- No substances in this mixture are specifically listed by individual state. Other product specific health
 and safety data in other sections of the SDS may also be applicable for state requirements. For
 details on your regulatory requirements you should contact the appropriate agency in your state.
- California Proposition 65: None of the ingredients are on the Proposition 65 list
- Canada WHMIS: Not Controlled. All components of this product are included in the Canadian DSL (Domestic Substances List)

Sections 16 OTHER INFORMATION

LABEL INFORMATION: For Shipping Label information refer to section 14

Product label warnings are as follows (Comparable CHIP Safety & Risk phrases are noted)

[H303] May be harmful if swallowed.

[P102] Keep out of the reach of children. [P271] Use outdoors or in ventilated area.

[P280] Wear protective gloves and eye protection, to avoid skin and eye irritation.

REVISION DATES SECTIONS REVISED BY

9/25/2020 Company info eb

ABBREVIATIONS USED IN THIS DOCUMENT: NE – Not Established, NA – Not Applicable, NIF – No Information Found

ABRIDGED LIST OF REFERENCES:

Code of Federal Regulations (CFR)

Chemical Guide and OSHA Hazardous Communication Standard

US Department of Labor; Occupational Safety & Health Administration (www.osha.gov)

The Environmental Protection Agency (www.epa.gov)

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

 $Government\ of\ Canada:\ http://canadagazette.gc.ca/news-e.html$

To the best of our knowledge, the information contained herein is accurate. However, neither Osborn nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.